

Manual Update

Manual Identification

HP-42S Owner's Manual

Reorder Number: 00042-90001

Update Identification

Update Number: 1

Part Number: 00042-90042

Date: December 1988

How To Use This Update

This update documents two corrections:

1. If you have selected $LIN\Sigma$ mode and execute LASTX after $\Sigma+$ or $\Sigma-$, *you will get an incorrect result*. This problem applies to
a) correcting mistakes in statistical-data entry using the procedure described in paragraph 3 of section "Correcting Mistakes" on page 232, and b) using LASTX after $\Sigma+$ or $\Sigma-$ in programs. This update describes a method to correct mistakes in statistical-data entry.

This problem applies to executing LASTX after $\Sigma+$ or $\Sigma-$ *only* in $LIN\Sigma$ mode. The default is $ALL\Sigma$ mode (see page 234).

2. If you try to use the HP-42S power curve-fitting model to forecast an x -value as described on page 240, *you will get an incorrect solution*. This manual update provides a method you can use to get a correct solution.

This problem applies *only* to the method for forecasting an x -value within the power curve-fitting model. All other methods for the curve-fitting and forecasting models (including forecasting y -values within the power model) are correct as described in the manual.

Make notes on pages 232 and 240 to remind yourself of these corrections. Then keep this update with your owner's manual for reference to the procedures for getting the correct results.

1. Correcting the Last Statistical-Data Entry in LINΣ Mode (page 232)

If, in LINΣ mode, the most recent statistical data-point or pair you have entered is incorrect and you have just pressed $\Sigma+$, do the following to remove the incorrect data:

1. Key in the x -value (but do not press ENTER).
2. Press $\blacksquare \Sigma-$.

2. Forecasting x -Values Using the Power Curve-Fitting Model (page 240)

1. Key in the following custom program. If you need help doing this, refer to chapter 8, "Simple Programming," starting on page 108.

00 (15-Byte Prgm)	04 SLOPE
01 LBL "PWRX"	05 1/X
02 YINT	06 Y+X
03 ÷	07 END

2. Assign the program to the CUSTOM menu.
 - a. Press $\blacksquare \text{[ASSIGN]}$.
 - b. Press PGM PWRX .
 - c. Press the menu key for the label to be assigned (for example, $\Sigma+$ for the first menu key).

(If you want more information about the CUSTOM menu, refer to "Using the CUSTOM Menu" on page 68.)

3. Once PWRX is in the CUSTOM menu, you can use it whenever you want. To forecast an x -value using the power model:
 - a. Select the power model by pressing $\blacksquare \text{[STAT]} \text{CFIT MODE PWR}$.
 - b. Select the CUSTOM menu by pressing $\blacksquare \text{[CUSTOM]}$.
 - c. Key in a y -value and press PWRX . The x -value is displayed. (Repeat this step as desired to forecast other x -values.)



Scan Copyright ©
The Museum of HP Calculators
www.hpmuseum.org

Original content used with permission.

Thank you for supporting the Museum of HP
Calculators by purchasing this Scan!

Please do not make copies of this scan or
make it available on file sharing services.