


# HP-75C battery-powered portable computer

You and your Hewlett-Packard  
achieving better results



HEWLETT  
PACKARD

# Lightweight travelling companion with heavyweight problem-solving power

Despite its light weight (740 grams/26 oz) and trim dimensions, HP-75C packs as much capability as many a desk-top computer.


HP-75C is battery powered so you can use it for computation and data collection in the field. You can make it the centre of a briefcase portable system with battery-operated mass-storage, battery-operated printer and plug-in software. Or you can return to the office or laboratory and use it as the heart of a fully-configured personal computer system or instrument controller.

With 16K resident bytes of user memory (expandable to 24K bytes) you have the muscle to manipulate complex equations, collect and transfer data, write programs in BASIC or assembler language, store and retrieve information through a multiple file structure, store appointments and set alarms.

Ready written software covers the major subjects for engineers, scientists and business managers. Or you can customize your HP-75C for use by groups of people. You develop your own plug-in custom software and reassign keyboard functions labelled with an overlay.

## Compact and lightweight:

12.7 cm x 25.4 cm x 2.54 cm  
(5" x 10" x 1") weighing  
740 grams (26 oz).



## Touchtype QWERTY keyboard,

*redefinable at will or under program control.*

Three  
for pre-  
16K By

## Built-in beeper

for programmable acoustic alarms.

## HP-IL interface


for battery-operated cassette drive, battery-operated printer, instrumentation control, video monitor, colour graphics plotter, full-width printer, larger systems.

## 32 chara

LCD

with scrolling  
acters.

THU 12~08~1982 13:59:48 \*\*\*



• plug-in ports  
written or custom software modules,  
tes each.

Friendly  
editing  
keys

er


96 char-

### Battery pack

with rechargeable nickel cadmium batteries. Recharger included. 3-4 weeks of normal usage (min. 30 hrs in RUN mode).

### 8 KB memory module port

for additional user storage capacity.



Hidden  
numeric  
keypad

### Hand-pull card reader

for off-line storage on magnetic cards, 1300 Bytes per card, random entry of multi-track files, write protect.

### 48 KB operating system

with 187 keywords (104 BASIC, 41 numeric, 42 time, alarms, appointments, etc.)

# HP-75C software

To help you customize your HP-75C portable computing system, Hewlett-Packard provides several sources of hardworking, easy-to-use software. Choose among the HP-75C Solutions Books, or, if you prefer, purchase the programs individually. You can also contribute your BASIC programs to the Users' Library. The HP-75C will be supported by the HP PLUS independent software program. Software accepted into the HP PLUS program will be developed and supported by independent software developers who are experts in their application fields. The software is then distributed by Hewlett-Packard after it meets the stringent requirements of the program.

Several software packages are currently planned by HP as well as by independent software vendors. These pacs will provide or enhance the following capabilities of the HP-75C: electronic spreadsheet, time management, information management, text editing, advanced math, and data communications. In addition, HP will release five powerful software pacs\*, complete with either an 8K or 16K ROM, in the following disciplines: Surveying, Electrical Engineering, Real Estate, Finance and Data Analysis.

## HP-75C Solutions Books

(Available in English only)

Math I. Math II. Math III. Games. Electronics. Finance. Real Estate. Statistics. Test Statistics.

\* Available Spring '83



# HP-75C Specifications

## Dynamic Range:

Real precision: -9.99999999999E499 to -1E-499, 0, 1E-499 to 9.99999999999 E499

Short precision: -9.9999E99 to -1E-99, 0, 1E-99 to 9.9999E99

Integer precision: -99999 to 99999

Variable types: Numeric, String, Numeric array

## Clocks & Timers:

Perpetual clock calendar, 12-hour or 24-hour format. Time functions returns time to the nearest millisecond.

Accuracy range: 15 seconds/month to 3 minutes/month.

Adjustable clock speed:  $\pm 10\%$



## **Beeper:**

The beeper is programmable with parameters for duration and tone. The frequency range is approximately 1 to 1600 Hz.

## **Redefinable Keys:** 194

## **Multiple File Structure:**

The number of files in HP-75C memory is limited only by the amount of available RAM.

## **Operating System:**

System ROM: 48K

RAM: 16K

Enhancement Memory Module (HP 82700A): 8K

Maximum system RAM (with Memory Module): 24K

Three 16K plug-in ROM's for a maximum of 48K ROM

## **Display:**

Liquid-crystal display

Size: 14.0 × 4.06 cm (5.5 × 1.6 in.)

Capacity: 96 characters per line

Window size: 32 characters

Character set: 256 characters

Character font: 5 × 9 dot matrix

## **Power Requirements:**

Three AA NiCad batteries

AC Adaptor/Recharger

220/240 V 50 Hz, 3 VA

Battery current:

RUN mode: 25 mA

STANDBY mode: 14 mA

SLEEP mode: 20 UA

## **HP-75C Accessories**

Rechargeable Battery Pack	82001B
Reserve Power Pack	82004A
Recharger/AC Adapter	82066B
Recharger/AC Adapter (U.K.)	82067B
Security Cradle	82701A
Field Case	82703A
30 Blank Cards	82707A
100 Blank Cards	82708A
Overlay Kit (Qty. 5)	82710A
Notebook Card Holder (Qty. 5)	82715A
Blank Overlay Kit (Qty. 5)	82716A
Blank Overlay Kit (Qty. 50)	82717A

## **Environmental Limits:**

Operating temperature range: 0 to 45°C (32 to 113°F)

Recharging temperature range: 10 to 40°C (50 to 105°F)

Storage temperature range: -40 to 55°C (-40 to 131°F)

Operating and storage humidity limits: 0 to 95% relative humidity

## **Size and Weight:**

12.7 × 25.4 × 2.54 cm (5 × 10 × 1 in.)

740 g (26 oz)

**Spain**

Hewlett-Packard Española S.A.  
C/Gosta Brava 13  
Tel. (91) 734 80 61  
Edificio Mirasierra  
Madrid-34

**Sweden**

Hewlett-Packard Sverige AB  
(Stockholm Office)  
Skalholtsgatan 9, Kista  
Box 19  
S-16393 Spånga

**Denmark**

Hewlett-Packard A/S  
Datavej 52  
DK-3460 Birkerød  
Hewlett-Packard A/S  
Navervej 1  
DK-8600 Silkeborg

**Finland**

Hewlett-Packard Oy  
Revantululentie 7  
SF-02100 Espoo 10

**Norway**

Hewlett-Packard Norge A/S  
P.O. Box 34  
Osterndalen 18  
N-1345 Østerås

**Netherlands**

Hewlett-Packard  
Nederland B.V.  
Van Heuven Goedhartlaan 121  
NL-1181 KK Amstelveen  
P.O. Box 667  
NL-1180 AR Amstelveen

**Belgium**

Hewlett-Packard Belgium  
SA/NV  
Boulevard de la Woluwe, 100  
Woluwe-dal  
B-1200 Brussels

**European Headquarters:**

Hewlett-Packard S.A.  
7, rue du Bois-du-Lan  
P.O. Box  
CH-1217 Meyrin 2  
Geneva/Switzerland

**Hewlett-Packard Limited**

(Pinewood)  
Nine Mile Ride  
Easthampstead  
Wokingham  
Berkshire RG11 3LL

**Warranty**

Warranty is supplied with the product and is available on request.

Hewlett-Packard reserves the right to make changes in materials, specifications or accessories without notice.

## W. Rolf Pedersen ApS

Fiolstræde 14  
1171 K - 01 - 137056



**HEWLETT  
PACKARD**